

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID: ~~XXXXXXXXXX~~

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 FEB 25 CA/CAPLUS - Russian Agency for Patents and Trademarks (ROSPATENT) added to list of core patent offices covered
NEWS 4 FEB 28 PATDPAFULL - New display fields provide for legal status data from INPADOC
NEWS 5 FEB 28 BABS - Current-awareness alerts (SDIs) available
NEWS 6 FEB 28 MEDLINE/LMEDLINE reloaded
NEWS 7 MAR 02 GBFULL: New full-text patent database on STN
NEWS 8 MAR 03 REGISTRY/ZREGISTRY - Sequence annotations enhanced
NEWS 9 MAR 03 MEDLINE file segment of TOXCENTER reloaded
NEWS 10 MAR 22 KOREAPAT now updated monthly; patent information enhanced
NEWS 11 MAR 22 Original IDE display format returns to REGISTRY/ZREGISTRY
NEWS 12 MAR 22 PATDPASPC - New patent database available
NEWS 13 MAR 22 REGISTRY/ZREGISTRY enhanced with experimental property tags
NEWS 14 APR 04 EPFULL enhanced with additional patent information and new fields
NEWS 15 APR 04 EMBASE - Database reloaded and enhanced
NEWS 16 APR 18 New CAS Information Use Policies available online
NEWS 17 APR 25 Patent searching, including current-awareness alerts (SDIs), based on application date in CA/CAPLUS and USPATFULL/USPAT2 may be affected by a change in filing date for U.S. applications.
NEWS 18 APR 28 Improved searching of U.S. Patent classifications for U.S. patent records in CA/CAPLUS
NEWS 19 MAY 23 GBFULL enhanced with patent drawing images
NEWS 20 MAY 23 REGISTRY has been enhanced with source information from CHEMCATS

NEWS EXPRESS JANUARY 10 CURRENT WINDOWS VERSION IS V7.01a, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 10 JANUARY 2005

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 19:14:44 ON 25 MAY 2005

=> fil reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 19:14:52 ON 25 MAY 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 24 MAY 2005 HIGHEST RN 851066-92-7

DICTIONARY FILE UPDATES: 24 MAY 2005 HIGHEST RN 851066-92-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.


*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10668920d.str



chain nodes :

6 7 10 12 13 15 16 17 18 19

ring nodes :
 1 2 3 4 5
 chain bonds :
 1-15 2-7 3-12 3-13 4-10 5-6 15-16 16-17 17-18 17-19
 ring bonds :
 1-2 1-5 2-3 3-4 4-5
 exact/norm bonds :
 1-2 1-5 1-15 2-3 2-7 3-4 3-12 3-13 4-5 4-10 5-6 15-16 16-17 17-18
 17-19

G1:C,O,S

G2:Cy,Ak

G3:H,Cy,Ak

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 10:CLASS 12:CLASS
 13:CLASS 15:CLASS 16:Atom 17:CLASS 18:CLASS 19:CLASS

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR



G1 C,O,S

G2 Cy,Ak

G3 H,Cy,Ak

Structure attributes must be viewed using STN Express query preparation.

=> s L1

SAMPLE SEARCH INITIATED 19:15:11 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 224 TO ITERATE

100.0% PROCESSED 224 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 3583 TO 5377

PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s L1 full

FULL SEARCH INITIATED 19:15:16 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 3985 TO ITERATE

100.0% PROCESSED 3985 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

L3 0 SEA SSS FUL L1

=> fil reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

163.48

163.69

FILE 'REGISTRY' ENTERED AT 19:18:21 ON 25 MAY 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 24 MAY 2005 HIGHEST RN 851066-92-7

DICTIONARY FILE UPDATES: 24 MAY 2005 HIGHEST RN 851066-92-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*


Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:

<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10668920e.str



```

chain nodes :
6 7 10 12 13 15 16 17 18 19 20 21
ring nodes :
1 2 3 4 5
chain bonds :
1-18 2-7 3-12 3-13 4-10 5-6 15-17 15-16 15-21 18-19 19-20 20-21
ring bonds :
1-2 1-5 2-3 3-4 4-5
exact/norm bonds :
1-2 1-5 1-18 2-3 2-7 3-4 3-12 3-13 4-5 4-10 5-6 15-17 15-16 18-19
19-20 20-21
exact bonds :
15-21

```

G1:C,O,S

G2:Cy,Ak

G3:H,Cy,Ak

Match level :

```

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 10:CLASS 12:CLASS
13:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS 20:Atom 21:CLASS


```

L4 STRUCTURE UPLOADED

=> d

L4 HAS NO ANSWERS

L4 STR



G1 C,O,S
G2 Cy,Ak
G3 H,Cy,Ak

Structure attributes must be viewed using STN Express query preparation.

=> s L4

SAMPLE SEARCH INITIATED 19:18:48 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 200 TO ITERATE

100.0% PROCESSED 200 ITERATIONS
SEARCH TIME: 00.00.01

5 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 3152 TO 4848
PROJECTED ANSWERS: 5 TO 234

L5 5 SEA SSS SAM L4

=> s L4 full

FULL SEARCH INITIATED 19:18:53 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 3540 TO ITERATE

100.0% PROCESSED 3540 ITERATIONS
SEARCH TIME: 00.00.01

137 ANSWERS

L6 137 SEA SSS FUL L4

=> fil caplus

COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE	TOTAL
ENTRY	SESSION
161.33	325.02

FILE 'CAPLUS' ENTERED AT 19:18:59 ON 25 MAY 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 25 May 2005 VOL 142 ISS 22
FILE LAST UPDATED: 24 May 2005 (20050524/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s L6

L7 2 L6

=> d L7 ibib abs

L7 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2004:513339 CAPLUS

DOCUMENT NUMBER: 141:54344

TITLE: Preparation of imidazolidinediones as factor VIIa/tissue factor inhibitors for the treatment of thrombosis.

INVENTOR(S): Arnaiz, Damian O.; Chou, Yuo-Ling; Griedel, Brian D.; Mohan, Raju; Shaw, Kenneth J.

PATENT ASSIGNEE(S): Schering Aktiengesellschaft, Germany

SOURCE: U.S. Pat. Appl. Publ., 18 pp.

CODEN: USXXCO


DOCUMENT TYPE: Patent

LANGUAGE: English


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2004122073	A1	20040624	US 2003-668920	20030923
PRIORITY APPLN. INFO.:			US 2002-413067P	P 20020924
OTHER SOURCE(S):	MARPAT	141:54344		
GI				



I



II

AB Tilte compds. I [R1 = alkyl, alkenyl, alkynyl, etc.; R2, R3 = alkyl, alkenyl, alkynyl, etc.; A = (un)substituted alkylene, alkylidene, alkylidyne, etc.; B = aryl, heteroaryl; R4 = amidine, carboxyamidine, hydroxyamidine, etc.] and their pharmaceutically acceptable salts and formulations were prepared For example, imidazolidinedione II trifluoroacetic acid salt was prepared from 5-methyl-5-phenylhydantoin in 3-steps. In factor VIIa/tissue factor inhibition assays, 90-examples of compds. I exhibited k_i values of about 5 μ M or less (sic). Compds. I are claimed useful as anticoagulant and antithrombotic agents.

=> d L7 ibib abs 2

L7 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2002:869482 CAPLUS

DOCUMENT NUMBER: 137:365551

TITLE: Direct measurement of coagulation factor VIIa activity in plasma and application to screening of Factor VIIa inhibitors

INVENTOR(S): Chi, Liguu; Leadley, Robert Joseph, Jr.; Peng, Yun-Wen
PATENT ASSIGNEE(S): USA

SOURCE: U.S. Pat. Appl. Publ., 14 pp.

CODEN: USXXCO

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2002168700	A1	20021114	US 2002-141396	20020508
US 6773896	B2	20040810		
EP 1260817	A2	20021127	EP 2002-9326	20020502
EP 1260817	A3	20021218		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
CA 2385212	AA	20021108	CA 2002-2385212	20020506
JP 2002360297	A2	20021217	JP 2002-131432	20020507

PRIORITY APPLN. INFO.: US 2001-289539P P 20010508

AB The present invention generally provides a method of measuring the biol. activity of coagulation factor VIIa (Factor VIIa). Specifically, the

present invention provides a method for directly measuring the activity of Factor VIIa in a plasma sample. The method of the present invention includes the steps of combining a quantity of a plasma sample with acetonitrile, drying the plasma sample, and combining the dried plasma with a solution containing a buffer, Factor VIIa, and a detectable Factor VIIa substrate (preferably chromogenic substrate). More specifically, the present invention provides a method for utilizing Factor VIIa activity as a bio-marker to monitor Factor VIIa inhibition to screen compds. which are able to inhibit the biol. activity of Factor VIIa. Plasma concentration of Factor VIIa inhibitors can be estimated based on the Factor VIIa assay of the invention in various concns. of plasma.

REFERENCE COUNT: 40 THERE ARE 40 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> fil beilstein

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
6.20	331.22

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-1.46	-1.46

CA SUBSCRIBER PRICE

FILE 'BEILSTEIN' ENTERED AT 19:20:02 ON 25 MAY 2005

COPYRIGHT (c) 2005 Beilstein-Institut zur Foerderung der Chemischen Wissenschaften licensed to Beilstein GmbH and MDL Information Systems GmbH

FILE RELOADED ON OCTOBER 20, 2002

FILE LAST UPDATED ON APRIL 21, 2005

FILE COVERS 1771 TO 2004.

*** FILE CONTAINS 9,218,366 SUBSTANCES ***

>>>PLEASE NOTE: Reaction Data and substance data are stored in separate documents and can not be searched together in one query. Reaction data for BEILSTEIN compounds may be displayed immediately with the display codes PRE (preparations) and REA (reactions). A substance answer set retrieved after the search for a chemical name, a compounds with available reaction information by combining with PRE/FA, REA/FA or more generally with RX/FA. The BEILSTEIN Registry Number (BRN) is the link between a BEILSTEIN compound and belonging reactions. For more detailed reaction searches BRNs can be searched as reaction partner BRNs Reactant BRN (RX.RBRN) or Product BRN (RX.PBRN).<<<

>>> FOR SEARCHING PREPARATIONS SEE HELP PRE <<<

 * PLEASE NOTE THAT THERE ARE NO FORMATS FREE OF COST. *
 * SET NOTICE FEATURE: THE COST ESTIMATES CALCULATED FOR SET NOTICE *
 * ARE BASED ON THE HIGHEST PRICE CATEGORY. THEREFORE; THESE *
 * ESTIMATES MAY NOT REFLECT THE ACTUAL COSTS. *
 * FOR PRICE INFORMATION SEE HELP COST *

NEW

- * PATENT NUMBERS (PN) AND BABS ACCESSION NUMBERS (BABSAN) CAN NOW BE SEARCHED, SELECTED AND TRANSFERRED.
- * NEW DISPLAY FORMATS ALLREF, ALLP AND BABSAN SHOW ALL REFERENCES, ALL PATENT REFERENCES, OR ALL BABS ACCESSION NUMBERS FOR A COMPOUND AT A GLANCE.

=> d his

(FILE 'HOME' ENTERED AT 19:14:44 ON 25 MAY 2005)

FILE 'REGISTRY' ENTERED AT 19:14:52 ON 25 MAY 2005

L1 STRUCTURE UPLOADED
L2 0 S L1
L3 0 S L1 FULL

FILE 'REGISTRY' ENTERED AT 19:18:21 ON 25 MAY 2005

L4 STRUCTURE UPLOADED
L5 5 S L4
L6 137 S L4 FULL

FILE 'CAPLUS' ENTERED AT 19:18:59 ON 25 MAY 2005

L7 2 S L6

FILE 'BEILSTEIN' ENTERED AT 19:20:02 ON 25 MAY 2005

=> s L4

SAMPLE SEARCH INITIATED 19:20:25 FILE 'BEILSTEIN'

SAMPLE SCREEN SEARCH COMPLETED - 68 TO ITERATE

100.0% PROCESSED 68 ITERATIONS
SEARCH TIME: 00.00.05

0 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 866 TO 1854
PROJECTED ANSWERS: 0 TO 0

L8 0 SEA SSS SAM L4

=> fil caold

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.06	331.28

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-1.46

FILE 'CAOLD' ENTERED AT 19:20:39 ON 25 MAY 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966

FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

=> fil beilstein

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
FULL ESTIMATED COST	ENTRY	SESSION
	0.43	331.71
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
CA SUBSCRIBER PRICE	ENTRY	SESSION
	0.00	-1.46

FILE 'BEILSTEIN' ENTERED AT 19:20:48 ON 25 MAY 2005
 COPYRIGHT (c) 2005 Beilstein-Institut zur Foerderung der Chemischen Wissenschaften
 licensed to Beilstein GmbH and MDL Information Systems GmbH

FILE RELOADED ON OCTOBER 20, 2002
 FILE LAST UPDATED ON APRIL 21, 2005

FILE COVERS 1771 TO 2004.
 *** FILE CONTAINS 9,218,366 SUBSTANCES ***

>>>PLEASE NOTE: Reaction Data and substance data are stored in
 separate documents and can not be searched together in one query.
 Reaction data for BEILSTEIN compounds may be displayed
 immediately with the display codes PRE (preparations) and REA
 (reactions). A substance answer set retrieved after the search
 for a chemical name, a compounds with available reaction
 information by combining with PRE/FA, REA/FA or more generally
 with RX/FA. The BEILSTEIN Registry Number (BRN) is the link
 between a BEILSTEIN compound and belonging reactions. For mo
 detailed reaction searches BRNs can be searched as reaction
 partner BRNs Reactant BRN (RX.RBRN) or Product BRN (RX.PBRN).<<<

>>> FOR SEARCHING PREPARATIONS SEE HELP PRE <<<

 * PLEASE NOTE THAT THERE ARE NO FORMATS FREE OF COST. *
 * SET NOTICE FEATURE: THE COST ESTIMATES CALCULATED FOR SET NOTICE *
 * ARE BASED ON THE HIGHEST PRICE CATEGORY. THEREFORE; THESE *
 * ESTIMATES MAY NOT REFLECT THE ACTUAL COSTS. *
 * FOR PRICE INFORMATION SEE HELP COST *

NEW

* PATENT NUMBERS (PN) AND BABS ACCESSION NUMBERS (BABSAN) CAN NOW BE
 SEARCHED, SELECTED AND TRANSFERRED.
 * NEW DISPLAY FORMATS ALLREF, ALLP AND BABSAN SHOW ALL REFERENCES,
 ALL PATENT REFERENCES, OR ALL BABS ACCESSION NUMBERS FOR A
 COMPOUND AT A GLANCE.

=> s L4 full
 FULL SEARCH INITIATED 19:20:55 FILE 'BEILSTEIN'
 FULL SCREEN SEARCH COMPLETED - 1218 TO ITERATE

100.0% PROCESSED 1218 ITERATIONS 0 ANSWERS
 SEARCH TIME: 00.00.15

L9 0 SEA SSS FUL L4

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
FULL ESTIMATED COST	ENTRY	SESSION
	0.06	331.77
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
CA SUBSCRIBER PRICE	ENTRY	SESSION
	0.00	-1.46

FILE 'CAOLD' ENTERED AT 19:21:23 ON 25 MAY 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966
FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

=> s L4

REGISTRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress...
Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

SAMPLE SEARCH INITIATED 19:21:26 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 200 TO ITERATE

100.0% PROCESSED 200 ITERATIONS 5 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 3152 TO 4848
PROJECTED ANSWERS: 5 TO 234

L10 5 SEA SSS SAM L4

L11 0 L10

=> d cost

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
CONNECT CHARGES	0.37	5.00
NETWORK CHARGES	0.06	0.96
SEARCH CHARGES	0.00	321.80
DISPLAY CHARGES	0.00	5.30
<hr/>		<hr/>
FULL ESTIMATED COST	0.43	333.06
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-1.46

IN FILE 'CAOLD' AT 19:22:08 ON 25 MAY 2005

=> s L4 full

REGISTRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress...

Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

FULL SEARCH INITIATED 19:22:21 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 3540 TO ITERATE

100.0% PROCESSED 3540 ITERATIONS
SEARCH TIME: 00.00.01

137 ANSWERS

L12 137 SEA SSS FUL L4

L13 .0 L12

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.43

494.82

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-1.46

STN INTERNATIONAL LOGOFF AT 19:22:46 ON 25 MAY 2005

5/25/05

10/668,920

G1 = C, O, S

G2 = C, H, Ar

G3 = H, C, Ar

***** STN Columbus *****

FILE 'HOME' ENTERED AT 19:04:45 ON 25 MAY 2005

=> fil reg

COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE

ENTRY

0.21

TOTAL

SESSION

0.5 0.21

FILE 'REGISTRY' ENTERED AT 19:04:52 ON 25 MAY 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the G2/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 24 MAY 2005 HIGHEST RN 851066-92

DICTIONARY FILE UPDATES: 24 MAY 2005 HIGHEST RN 851066-92

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*


Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:

<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10668920b.str



chain nodes :

6 7 9 16 19 20 21 24 26 27

ring nodes :
 1 2 3 4 5 10 11 12 13 14 15
 chain bonds :
 1-9 2-7 3-26 3-27 4-24 5-6 9-16 11-16 19-20 20-21
 ring bonds :
 1-2 1-5 2-3 3-4 4-5 10-11 10-15 11-12 12-13 13-14 14-15
 exact/norm bonds :
 1-2 1-5 1-9 2-3 2-7 3-4 3-26 3-27 4-5 4-24 5-6 9-16 19-20 20-21
 exact bonds :
 11-16
 normalized bonds :
 10-11 10-15 11-12 12-13 13-14 14-15

G1:C,O,S

G2: Cy,Ak

G3:H,Cy,Ak

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 9:CLASS 10:Atom 11:Atom
 12:Atom 13:Atom 14:Atom 15:Atom 16:CLASS 19:CLASS 20:CLASS 21:CLASS
 22:CLASS 24:CLASS 26:CLASS 27:CLASS

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 ○ STR



G1 C,O,S

G2 Cy,Ak

G3 H,Cy,Ak

Structure attributes must be viewed using STN Express query preparation.

=> s L1

SAMPLE SEARCH INITIATED 19:05:17 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 153 TO ITERATE

100.0% PROCESSED 153 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 2318 TO 3802
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s L1 full

FULL SEARCH INITIATED 19:05:21 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 2755 TO ITERATE

100.0% PROCESSED 2755 ITERATIONS
SEARCH TIME: 00.00.01

0 ANSWERS

L3 0 SEA SSS FUL L1

=> fil reg

~~COST-IN-U.S.~~ DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
163.48	163.69

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 19:08:23 ON 25 MAY 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 24 MAY 2005 HIGHEST RN 851066-92-7
DICTIONARY FILE UPDATES: 24 MAY 2005 HIGHEST RN 851066-92-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when
conducting SmartSELECT searches.


*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10668920c.str



chain nodes :

6 7 9 16 20 22 23 29 30 31

ring nodes :

1 2 3 4 5 10 11 12 13 14 15 25 26 27 28

chain bonds :

1-9 2-7 3-22 3-23 4-20 5-6 9-16 11-16 29-30 30-31

ring bonds :

1-2 1-5 2-3 3-4 4-5 10-11 10-15 11-12 12-13 13-14 14-15 14-25 15-28
25-26 26-27 27-28

exact/norm bonds :

1-2 1-5 1-9 2-3 2-7 3-4 3-22 3-23 4-5 4-20 5-6 9-16 29-30 30-31

exact bonds :

11-16

normalized bonds :

10-11 10-15 11-12 12-13 13-14 14-15 14-25 15-28 25-26 26-27 27-28

G1:C,O,S

G2:Cy,Ak

G3:H,Cy,Ak

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 9:CLASS 10:Atom 11:Atom
12:Atom 13:Atom 14:Atom 15:Atom 16:CLASS 20:CLASS 22:CLASS 23:CLASS
25:CLASS 26:Atom 27:Atom 28:Atom 29:CLASS 30:CLASS 31:CLASS 32:CLASS

L4 STRUCTURE UPLOADED

=> d

L4 HAS NO ANSWERS

L4 STR



G1 C,O,S

G2 Cy,Ak

G3 H,Cy,Ak

Structure attributes must be viewed using STN Express query preparation.

=> s L4

SAMPLE SEARCH INITIATED 19:08:52 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 15 TO ITERATE

100.0% PROCESSED 15 ITERATIONS

5 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

PROJECTED ITERATIONS: 68 TO 532

PROJECTED ANSWERS: 5 TO 234

L5 5 SEA SSS SAM L4

=> s L4 full

FULL SEARCH INITIATED 19:09:03 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 272 TO ITERATE

100.0% PROCESSED 272 ITERATIONS

137 ANSWERS

SEARCH TIME: 00.00.01

L6 137 SEA SSS FUL L4

=> fil caplus

COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE	TOTAL
ENTRY	SESSION
161.33	325.02

FILE 'CAPLUS' ENTERED AT 19:09:09 ON 25 MAY 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December

26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN. Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 25 May 2005 VOL 142 ISS 22
FILE LAST UPDATED: 24 May 2005 (20050524/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate
substance identification.

=> s L6

L7 2 L6

=> d 1-2 ibib abs

L7 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2004:513339 CAPLUS

DOCUMENT NUMBER: 141:54344

TITLE: Preparation of imidazolidinediones as factor
VIIa/tissue factor inhibitors for the treatment of
thrombosis.

INVENTOR(S): Arnaiz, Damian O.; Chou, Yuo-Ling; Griedel, Brian D.;
Mohan, Raju; Shaw, Kenneth J.

PATENT ASSIGNEE(S): Schering Aktiengesellschaft, Germany

SOURCE: U.S. Pat. Appl. Publ., 18 pp.

CODEN: USXXCO

DOCUMENT TYPE: Patent


LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2004122073	A1	20040624	US 2003-668920	20030923
PRIORITY APPLN. INFO.:			US 2002-413067P	P 20020924
OTHER SOURCE(S):	MARPAT	141:54344		
GI				

thru app



I



II

AB Tilte compds. I [R1 = alkyl, alkenyl, alkynyl, etc.; R2, R3 = alkyl, alkenyl, alkynyl, etc.; A = (un)substituted alkylene, alkylidene, alkylidyne, etc.; B = aryl, heteroaryl; R4 = amidine, carboxyamidine, hydroxyamidine, etc.] and their pharmaceutically acceptable salts and formulations were prepared For example, imidazolidinedione II trifluoroacetic acid salt was prepared from 5-methyl-5-phenylhydantoin in 3-steps. In factor VIIa/tissue factor inhibition assays, 90-examples of compds. I exhibited ki values of about 5µM or less (sic). Compds. I are claimed useful as anticoagulant and antithrombotic agents.

L7 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2002:869482 CAPLUS

DOCUMENT NUMBER: 137:365551

TITLE: Direct measurement of coagulation factor VIIa activity in plasma and application to screening of Factor VIIa inhibitors

INVENTOR(S): Chi, Liguo; Leadley, Robert Joseph, Jr.; Peng, Yun-Wen
PATENT ASSIGNEE(S): USA

SOURCE: U.S. Pat. Appl. Publ., 14 pp.

CODEN: USXXCO

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2002168700	A1	20021114	US 2002-141396	20020508
US 6773896	B2	20040810		
EP 1260817	A2	20021127	EP 2002-9326	20020502
EP 1260817	A3	20021218		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
CA 2385212	AA	20021108	CA 2002-2385212	20020506
JP 2002360297	A2	20021217	JP 2002-131432	20020507
PRIORITY APPLN. INFO.:			US 2001-289539P	P 20010508

AB The present invention generally provides a method of measuring the biol. activity of coagulation factor VIIa (Factor VIIa). Specifically, the present invention provides a method for directly measuring the activity of Factor VIIa in a plasma sample. The method of the present invention includes the steps of combining a quantity of a plasma sample with

acetonitrile, drying the plasma sample, and combining the dried plasma with a solution containing a buffer, Factor VIIa, and a detectable Factor VIIa substrate (preferably chromogenic substrate). More specifically, the present invention provides a method for utilizing Factor VIIa activity as a bio-marker to monitor Factor VIIa inhibition to screen compds. which are able to inhibit the biol. activity of Factor VIIa. Plasma concentration of Factor VIIa inhibitors can be estimated based on the Factor VIIa assay of the invention in various concns. of plasma.

REFERENCE COUNT: 40 THERE ARE 40 CITED REFERENCES AVAILABLE FOR THIS RECORD.. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> log y

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
6.20	331.22

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-1.46	-1.46

CA SUBSCRIBER PRICE

STN INTERNATIONAL LOGOFF AT 19:10:16 ON 25 MAY 2005